

according to Regulation (EC) No 1907/2006

# KOIMOS-High Solid Floor Oil No. 208

Print date: 20.01.2016

Product code: 208

Page 1 of 7

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

KOIMOS-High Solid Floor Oil No. 208

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

For interior use, as primer for floors, baseboards, solid wood. Only suitable to a limited extent for dining tables and kitchen countertops.

### 1.3. Details of the supplier of the safety data sheet

Company name:	LIVOS Pflanzenchemie Forschungs- und		
	Entwicklungs GmbH & Co. KG		
Street:	Auengrund 10		
Place:	D-29559 Wrestedt		
Telephone:	+49(0)5825-88-0	Telefax:+49(0)5825-8864	
e-mail:	info@livos.de		
Internet:	www.livos.de		
Responsible Department:	Produktsicherheit / Product Safety, Email: servi	ce@livos.de	
1.4. Emergency telephone	+49 (0)6132-84463 (24h - GBK GmbH)		

# number:

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

This mixture is not classified as hazardous according to Regulation (EC) No. 1272/2008.

# 2.2. Label elements

P102 P301+P310

### **Precautionary statements**

Keep out of reach of children.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a doctor.

# Special labelling of certain mixtures

EUH208

Contains Cobalt (2+)salts. May produce an allergic reaction.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Chemical characterization**

According to color: Linseed oil, wood oil, castor oil - natural resin ester, micronized wax, linseed oil - stand oil - natural resin ester, mineral pigments, titan dioxide, alumina, isoaliphates, zinc carbonate, silicic acid, linseed oil – wood oil – stand oil, linseed oil - stand oil, pine oil, castor oil – stand oil, orange oil, dehydrated amino sugar, chalk, soy lecithin and drying agents free of lead (Ca, Co, Mn, Zr).

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
90622-58-5	Isoaliphate			1 - < 10 %
	918-167-1		01-2119472146-39	
	Asp. Tox. 1; H304			

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

# KOIMOS-High Solid Floor Oil No. 208

Print date: 20.01.2016

Product code: 208

Page 2 of 7

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

### After contact with skin

Wash the affected area with soap and water. Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2)., Extinguishing powder, Water spray jet. Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

Full water jet

# 5.2. Special hazards arising from the substance or mixture

No data available

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Provide adequate ventilation.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**



according to Regulation (EC) No 1907/2006

# KOIMOS-High Solid Floor Oil No. 208

Print date: 20.01.2016

Product code: 208

Page 3 of 7

### 7.1. Precautions for safe handling

### Advice on safe handling

Keep container tightly closed. Provide adequate ventilation.

### Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Keep away from heat. Always be sure to store and then dispose of cleaning cloths, polishing pads, sponges, etc. that are still wet or even slightly moist with LIVOS oil in an airtight metal container or in water, as there is a danger of spontaneous combustion caused by the plant oil content. The product itself will not combust spontaneously.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.

### Advice on storage compatibility

No special measures are necessary.

### 7.3. Specific end use(s)

For interior use, as primer for floors, baseboards, solid wood. Only suitable to a limited extent for dining tables and kitchen countertops.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

#### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

### Eye/face protection

Eye glasses with side protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing.

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	different colors
Odour:	characteristic

Test method

not applicable

# Changes in the physical state Melting point:

not determined



according to Regulation (EC) No 1907/2006

KOIMOS-High Solid Floor Oil No. 208				
Print date: 20.01.2016	Product code: 208	Page 4 of 7		
Initial boiling point and boiling range:	> 100 °C			
Flash point:	> 61 °C			
Flammability				
Solid:	not applicable			
Gas:	not applicable			
Lower explosion limits:				
Upper explosion limits:				
Ignition temperature:	> 200 °C			
Auto-ignition temperature				
Solid:	not applicable			
Gas:	not applicable			
Decomposition temperature:	not determined			
Oxidizing properties No data available				
Vapour pressure:	not determined			
Density:	ca. 0,96 g/cm³			
Water solubility:	insoluble			
Solubility in other solvents not determined				
Partition coefficient:	not determined			
Vapour density:	not determined			
Evaporation rate:	not determined			
9.2. Other information				
Solid content:	not determined			
	folgening elethe poliching node energies, etc. that			

Always be sure to store and then dispose of cleaning cloths, polishing pads, sponges, etc. that are still wet or even slightly moist with LIVOS oil in an airtight metal container or in water, as there is a danger of spontaneous combustion caused by the plant oil content. The product itself will not combust spontaneously.

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

# 10.4. Conditions to avoid

Keep away from heat.

# 10.5. Incompatible materials

Strong acid. Oxidising agent, strong

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**



according to Regulation (EC) No 1907/2006

# KOIMOS-High Solid Floor Oil No. 208

Print date: 20.01.2016

Product code: 208

Page 5 of 7

### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
90622-58-5	Isoaliphate				
	oral	LD50	> 5000 mg/kg	Rat	
	dermal	LD50	> 5000 mg/kg	Rabbit	

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product has not been tested.

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source
90622-58-5	Isoaliphate					
	Acute fish toxicity	LC50	> 1000 mg/l	96 h	fish	
	Acute algae toxicity	ErC50	> 1000 mg/l	72 h	Algae	
	Acute crustacea toxicity	EC50	> 1000 mg/l	48 h	Daphnia magna	

### 12.2. Persistence and degradability

The product has not been tested.

# 12.3. Bioaccumulative potential

The product has not been tested.

#### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

# 12.6. Other adverse effects

No information available.

# Further information

Avoid release to the environment.

# **SECTION 13: Disposal considerations**



according to Regulation (EC) No 1907/2006

# KOIMOS-High Solid Floor Oil No. 208

Print date: 20.01.2016

Product code: 208

Page 6 of 7

### 13.1. Waste treatment methods

### Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### **Contaminated packaging**

Wash with plenty of water. Completely emptied packages can be recycled.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

#### Other applicable information (land transport)

No dangerous good in sense of these transport regulations.

### Inland waterways transport (ADN)

### Other applicable information (inland waterways transport)

No dangerous good in sense of these transport regulations.

### Marine transport (IMDG)

### Other applicable information (marine transport)

No dangerous good in sense of these transport regulations.

# Air transport (ICAO)

#### Other applicable information (air transport)

No dangerous good in sense of these transport regulations.

# 14.6. Special precautions for user

No information available.

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information	
2010/75/EU (VOC):	3 - 4%
2004/42/EC (VOC):	3 - 4% (28,8 - 38,4 g/l)

# Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

### National regulatory information

Water contaminating class (D):

1 - slightly water contaminating

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,5,7,8,9,11,15.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)



according to Regulation (EC) No 1907/2006

# KOIMOS-High Solid Floor Oil No. 208

Print date: 20.01.2016

Product code: 208

Page 7 of 7

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

### Relevant H and EUH statements (number and full text) H304

May be fatal if swallowed and enters airways.

Contains Cobalt (2+)salts. May produce an allergic reaction.

# EUH208 **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)